# **Radionuclide Safety Data Sheet**



## **PHYSICAL DATA**

Radionuclide: Phosphorous-33 (P-33)
Decay Mode: Beta (100% abundance)

Beta Energy: 249 keV (maximum); 85 keV (average)

Physical Half-Life: 25.4 days

Biological Half-Life: 1155 days (Mineral Bone)

257 days (Whole Body)

Effective Half-Life: 24.9 days

Maximum Beta Range in Air: 51 cm = 20"

Maximum Beta Range in Water/Tissue: 0.06 cm = 0.025"

P-33 beta particles CANNOT penetrate lens of eye (0.3 cm)

Maximum Beta Range in Lucite/Plastic: 0.05 cm = 0.020"

**RADIOLOGICAL DATA** 

Critical Organ: Bone for soluble forms

Lung (inhalation) and GI Tract/LLI (ingestion for insoluble forms

and non-transportable P-33 compounds

Routes of Intake: Ingestion, Inhalation, Puncture, Skin Contamination (Absorption)
Exposure Concerns: Internal exposure and contamination (millicurie quantities are

NOT an external concern)

Annual Limit on Intake (ALI): 6 mCi (ingestion all compounds)

8 mCi (inhalation for all compounds except phosphates of Zn<sup>2+</sup>, S<sup>3+</sup>,

 $Mg^{2+}$ ,  $Fe^{3+}$ ,  $Bi^{3+}$ )

3 mCi (inhalation for all compounds except phosphates of Zn<sup>2+</sup>, S<sup>3+</sup>,

 $Mg^{2+}$ ,  $Fe^{3+}$ ,  $Bi^{3+}$ ) (1 ALI = 5 rem CEDE)

# **SKIN CONTAMINATION (P-33):**

Localized Dose Rate to Basal Cells at 7 mg/cm<sup>2</sup> or 0.007 cm tissue depth (without air reflection)

Skin Contamination Dose Rate (Extremity Skin): 3182 mrem/hour per 1 uCi/cm2

P-33 beta particles CANNOT penetrate lens of the eye (0.3 cm)

## **SURVEY INSTRUMENTATION:**

P-33 can be detected with a survey meter equipped with a GM probe (pancake probe preferable)

Counting efficiency of P-33 with GM survey meters is about 6%

Wipes/smears should be counted on a liquid scintillation counter to detect P-33 contamination. Counting efficiency on a Perkin Elmer liquid scintillation counter is approximately 95%.

# SHIELDING/LABELING

Shielding: Low atomic number material (e.g., 1/8" Lucite, plastic, acrylic) is recommended if working or storing

millicurie amounts of P-33.

Labeling: Container with ≥ 100 uCi must be labeled "Caution, Radioactive Material"

### PERSONAL RADIATION MONITORING DOSIMETERS

Personnel dosimetry (whole body & ring badges) are typically NOT required when working with P-33

#### **BIOASSAY REQURIEMENTS**

Not normally required. Notify Radiation Safety if an intake of P-33 is suspected

#### **DOSIMETRY**

Millicurie quantities of P-33 do not present a significant external exposure hazard because the low energy betas emitted barely penetrate glove and the horny outer layer of skin. Phosphorus metabolism is complex; 30% is rapidly eliminated from the body, 40% goes to soft tissue with a 19 day biological half-life, and the remaining goes to mineral bone which is reduced by its physical half-life of 25.4 days.

#### RADIOACTIVE WASTE

Isolate waste from other radionuclides in clearly labeled containers.

Sanitary sewer disposal limit is 100 uCi in any one day via a designated "hot" sink provided it is readily soluble, dispersible in water, and contains no hazardous materials. A sewer log must be maintained.

# **GENERAL RADIOLOGICAL SAFETY INFORMATION (P-33)**

#### (Permission from University of Michigan Radiation Safety Office)

- Inherent Volatility (STP): Insignificant / Negligible. P-33 is not volatile, even when heated and can be ignored as an airborne contaminant unless aerosolized.
- White wine vinegar can be an effective decontamination solvent for this nuclide in most common chemical forms. Skin dose, internal contamination, and area contamination are the primary radiological concerns.
- Drying can form airborne P-33 contamination.
- Always wear a lab coat and disposable gloves when handling P-33.
- Monitor work areas for removable surface contamination by smearing, swabbing, or wipe testing where P-33 is used. Count smears or swabs in a liquid scintillation counter (LSC).