

DEMENTIA IN LONG-TERM CARE AROMATHERAPY

Padilla R. Effectiveness of environment-based interventions for people with Alzheimer's disease and related dementias. *Am J Occup Ther*. 2011 Sep-Oct;65(5):514-22. Review.

Jimbo D, Kimura Y, Taniguchi M, Inoue M, Urakami K. Effect of aromatherapy on patients with Alzheimer's disease. *Psychogeriatrics*. 2009 Dec;9(4):173-9.

Ward-Smith P, Llanque SM, Curran D. The effect of multisensory stimulation on persons residing in an extended care facility. *Am J Alzheimers Dis Other Demen*. 2009 Dec-2010 Jan;24(6):450-5. Epub 2009 Oct 21.

Fujii M, Hatakeyama R, Fukuoka Y, Yamamoto T, Sasaki R, Moriya M, Kanno M, Sasaki H. Lavender aroma therapy for behavioral and psychological symptoms in dementia patients. *Geriatr Gerontol Int*. 2008 Jun;8(2):136-8. No abstract available

Nguyen QA, Paton C. The use of aromatherapy to treat behavioural problems in dementia. *Int J Geriatr Psychiatry*. 2008 Apr;23(4):337-46. Review

Lin PW, Chan WC, Ng BF, Lam LC. Efficacy of aromatherapy (*Lavandula angustifolia*) as an intervention for agitated behaviours in Chinese older persons with dementia: a cross-over randomized trial. *Int J Geriatr Psychiatry*. 2007 May;22(5):405-10.

Snow LA, Hovanec L, Brandt J. A controlled trial of aromatherapy for agitation in nursing home patients with dementia. *J Altern Complement Med*. 2004 Jun;10(3):431-7.

Thorgrimsen L, Spector A, Wiles A, Orrell M. Aroma therapy for dementia. *Cochrane Database Syst Rev*. 2003;(3):CD003150. Review.

Moniz-Cook E, Bird M. Sensory stimulation in dementia. Cause of behavioural and psychological symptoms of dementia needs to be established first. *BMJ*. 2003 Mar 22;326(7390):661. No abstract available.

Burns A, Byrne J, Ballard C, Holmes C. Sensory stimulation in dementia. *BMJ*. 2002 Dec 7;325(7376):1312-3. No abstract available.

Ballard CG, O'Brien JT, Reichelt K, Perry EK. Aromatherapy as a safe and effective treatment for the management of agitation in severe dementia: the results of a double-blind, placebo-controlled trial with Melissa. *J Clin Psychiatry*. 2002 Jul;63(7):553-8.

Gray SG, Clair AA. Influence of aromatherapy on medication administration to residential-care residents with dementia and behavioral challenges. a. *Am J Alzheimers Dis Other Demen*. 2002 May-Jun;17(3):169-74.

Holmes C, Hopkins V, Hensford C, MacLaughlin V, Wilkinson D, Rosenvinge H. Lavender oil as a treatment for agitated behaviour in severe dementia: a placebo controlled study. *Int J Geriatr Psychiatry*. 2002 Apr;17(4):305-8.

Aromatherapy and behaviour disturbances in dementia: a randomized controlled

DEMENTIA IN LONG-TERM CARE AROMATHERAPY

trial. Smallwood J, Brown R, Coulter F, Irvine E, Copland C. Int J Geriatr Psychiatry. 2001 Oct;16(10):1010-3.

MacMahon S, Kermode S. A clinical trial of the effect of aromatherapy on motivational behaviour in a dementia care setting using a single subject design. Aust J Holist Nurs. 1998 Oct;5(2):47-9.

O'Brien B. Experiences with aromatherapy in the elderly. J Altern Complement Med. 1997 Fall;3(3):211. No abstract available.

Brooker DJ, Snape M, Johnson E, Ward D, Payne M. Single case evaluation of the effects of aromatherapy and massage on disturbed behaviour in severe dementia. Br J Clin Psychol. 1997 May;36 (Pt 2):287-96.

Tobin P. Aromatherapy and its application in the management of people with dementia. Lamp. 1995 Jun;52(5):34. No abstract available.

Websites

[Aromatherapy for Alzheimer's Disease and Dementia](#)

[Complementary and alternative therapies and dementia](#)

[Creative and Sensory Therapies for Alzheimer's Disease – Painting, Dancing, and Aromatherapy](#)

[Alzheimer's Disease and Dementia](#)

Developed by Thomas Magnuson, MD, Brenda K. Keller, MD, CMD