

DEMENTIA IN LONG-TERM CARE LIGHT THERAPY

1. McCurry SM, Pike KC, Vitiello MV, Logsdon RG, Larson EB, Teri L. Increasing walking and bright light exposure to improve sleep in community-dwelling persons with Alzheimer's disease: results of a randomized, controlled trial. *J Am Geriatr Soc.* 2011 Aug;59(8):1393-402. doi: 10.1111/j.1532-5415.2011.03519.x. Epub 2011 Jul 28.
2. Most EI, Scheltens P, Van Someren EJ. Prevention of depression and sleep disturbances in elderly with memory-problems by activation of the biological clock with light--a randomized clinical trial. *Trials.* 2010 Feb 23;11:19.
3. Forbes D, Culum I, Lischka AR, Morgan DG, Peacock S, Forbes J, Forbes S. Light therapy for managing cognitive, sleep, functional, behavioural, or psychiatric disturbances in dementia. *Cochrane Database Syst Rev.* 2009 Oct 7;(4):CD003946. Review.
4. Riemersma-van der Lek RF, Swaab DF, Twisk J, Hol EM, Hoogendijk WJ, Van Someren EJ. Effect of bright light and melatonin on cognitive and noncognitive function in elderly residents of group care facilities: a randomized controlled trial. *JAMA.* 2008 Jun 11;299(22):2642-55.
5. Hickman SE, Barrick AL, Williams CS, Zimmerman S, Connell BR, Preisser JS, Mitchell CM, Sloane PD. The effect of ambient bright light therapy on depressive symptoms in persons with dementia. *J Am Geriatr Soc.* 2007 Nov;55(11):1817-24. Epub 2007 Oct 16.
6. Sloane PD, Williams CS, Mitchell CM, Preisser JS, Wood W, Barrick AL, Hickman SE, Gill KS, Connell BR, Edinger J, Zimmerman S. High-intensity environmental light in dementia: effect on sleep and activity. *J Am Geriatr Soc.* 2007 Oct;55(10):1524-33. Epub 2007 Aug 21.
7. Dowling GA, Graf CL, Hubbard EM, Luxenberg JS. Light treatment for neuropsychiatric behaviors in Alzheimer's disease. *West J Nurs Res.* 2007 Dec;29(8):961-75. Epub 2007 Jun 27.
8. Dowling GA, Mastick J, Hubbard EM, Luxenberg JS, Burr RL. Effect of timed bright light treatment for rest-activity disruption in institutionalized patients with Alzheimer's disease. *Int J Geriatr Psychiatry.* 2005 Aug;20(8):738-43.
9. Fetveit A, Bjorvatn B. Bright-light treatment reduces actigraphic-measured daytime sleep in nursing home patients with dementia: a pilot study. *Am J Geriatr Psychiatry.* 2005 May;13(5):420-3.
10. Skjerve A, Holsten F, Aarmland D, Bjorvatn B, Nygaard HA, Johansen IM. Improvement in behavioral symptoms and advance of activity acrophase after short-term bright light treatment in severe dementia. *Psychiatry Clin Neurosci.* 2004 Aug;58(4):343-7.
11. Skjerve A, Bjorvatn B, Holsten F. Light therapy for behavioural and psychological symptoms of dementia. *Int J Geriatr Psychiatry.* 2004 Jun;19(6):516-22. Review.
12. Forbes D, Morgan DG, Bangma J, Peacock S, Pelletier N, Adamson J. Light

DEMENTIA IN LONG-TERM CARE LIGHT THERAPY

therapy for managing sleep, behaviour, and mood disturbances in dementia. Cochrane Database Syst Rev. 2004;(2):CD003946. Review. Update in: Cochrane Database Syst Rev. 2009;(4):CD003946.

13. The effect of bright light on sleep and behavior in dementia: an analytic review. Kim S, Song HH, Yoo SJ. *GeriatrNurs*. 2003 Jul-Aug;24(4):239-43. Review.

14. Ancoli-Israel S, Martin JL, Gehrman P, Shochat T, Corey-Bloom J, Marler M, Nolan S, Levi L. Effect of light on agitation in institutionalized patients with severe Alzheimer disease. *Am J Geriatr Psychiatry*. 2003 Mar-Apr;11(2):194-203.

15. Schindler SD, Graf A, Fischer P, Tölk A, Kasper S. Paranoid delusions and hallucinations and bright light therapy in Alzheimer's disease. *Int J Geriatr Psychiatry*. 2002 Nov;17(11):1071-2.

16. Haffmans PM, Sival RC, Lucius SA, Cats Q, van Gelder L. Bright light therapy and melatonin in motor restless behaviour in dementia: a placebo-controlled study. *Int J Geriatr Psychiatry*. 2001 Jan;16(1):106-10.

17. Koyama E, Matsubara H, Nakano T. Bright light treatment for sleep-wake disturbances in aged individuals with dementia. *Psychiatry ClinNeurosci*. 1999 Apr;53(2):227-9.

18. Mishima K, Hishikawa Y, Okawa M. Randomized, dim light controlled, crossover test of morning bright light therapy for rest-activity rhythm disorders in patients with vascular dementia and dementia of Alzheimer's type. *Chronobiol Int*. 1998 Nov;15(6):647-54.

19. Ancoli-Israel S, Klauber MR, Jones DW, Kripke DF, Martin J, Mason W, Pat-Horenczyk R, Fell R. Variations in circadian rhythms of activity, sleep, and light exposure related to dementia in nursing-home patients. *Sleep*. 1997 Jan;20(1):18-23.

20. Lovell BB, Ancoli-Israel S, Gevirtz R. Effect of bright light treatment on agitated behavior in institutionalized elderly subjects. *Psychiatry Res*. 1995 Jun 29;57(1):7-12.

21. Mishima K, Okawa M, Hishikawa Y, Hozumi S, Hori H, Takahashi K. Morning bright light therapy for sleep and behavior disorders in elderly patients with dementia. *ActaPsychiatr Scand*. 1994 Jan;89(1):1-7.

22. Satlin A, Volicer L, Ross V, Herz L, Campbell S. Bright light treatment of behavioral and sleep disturbances in patients with Alzheimer's disease. *Am J Psychiatry*. 1992 Aug;149(8):1028-32.

DEMENTIA IN LONG-TERM CARE LIGHT THERAPY

Websites

[BBC NEWS | Health | Light therapy 'can slow dementia '](#)

[Dementia Slowed by Light Therapy](#)

[Researchers Launch World's First Clinical Trial Of Infrared Light Therapy For Dementia](#)

[Light Therapy for Alzheimer's Disease and Dementia](#)

[Complementary and alternative therapies and dementia - Alzheimer's Society](#)

[Light Therapy & Alzheimer's | eHow.com](#)

[Incredible Light Therapy for Alzheimer's Patients](#)

Developed by Thomas Magnuson, MD, Brenda K. Keller, MD, CMD