

CAPTURE Falls

Collaboration and Proactive Teamwork Used to Reduce

Quarterly Collaborative Call #36

August 11th, 2020 2:00 – 2:30 p.m. CDT

Getting Back to Basics: Linking Bedside Interventions to Patient Risk Factors



AGENDA

1. Housekeeping
2. Linking Bedside Interventions to Patient Risk Factors



Housekeeping



1. Event Reporting

- Quarterly data reports (Q2 2020) were sent mid-July 2020 to hospitals that reported at least one fall in Know Falls in 2020.
- Reporting of all falls is encouraged—including outpatient, ER, ambulatory care, LTC, etc.
- Contact Anne at askinner@unmc.edu with REDCap issues (add users, password resets) and special report requests.



Housekeeping #2



2. Edits on the horizon to fall documentation forms and Know Falls
 - Fall event reporting, post-fall huddle, system learning forms
 - Goal: streamline your process (i.e. **shorten the forms**); share draft with you for further feedback before implementing changes
 - Contact Anne if you have suggested edits.
askinner@unmc.edu



Housekeeping #3




3. Look for new additions to the CAPTURE Falls website this fall!
 - New roadmap and tool inventory sections
 - Goal: streamline content to match key activities for your fall risk reduction program, link to additional education and tools from other fall toolkits and relevant content
 - Contact Vicki victoria.kennel@unmc.edu with:
 - **Feedback and ideas for improvement**
 - **Tools, resources, success stories you would like to share on our website**
 - <https://www.unmc.edu/patient-safety/capturefalls/index.html>



Interventions for Fall Risk and Fall Injury Risk Reduction

What's on the Menu? A LOT!




- Assistive devices/equipment
- Bed/chair alarms
- Bed in low position
- Bedside floor mats
- Call light in reach
- Declutter environment
- Delirium prevention or mitigation
- Documentation of mobility/ADL assistance
- Floor clean and dry
- Gait belt
- Handoff tool
- Handrails in bathroom, hallway, etc.
- Hearing aids
- Hip protectors
- Lighting
- Locked wheels on bed, wheelchair
- Medication review by pharmacy
- Nonslip footwear



Interventions for Fall Risk and Fall Injury Risk Reduction

What's on the Menu? A LOT!




- Orthostatic blood pressure checks
- OT evaluation
- Pain management
- Patient close to nurses' station
- Patient/family education
- PT evaluation
- Purposeful hourly rounding
- Seating assessment
- Sitter
- Supervised mobility and ADLs
- Supervised toileting
- Top bedrails up
- Video monitoring
- Visible identification of risk
- Vision correction



Interventions for Fall Risk and Fall Injury Risk Reduction – What to Do?



Throw everything but the kitchen sink at the patient? (No!)



Be more selective in your choices of interventions? (Yes!)



Are there times we want to do the same thing for every patient? Yes!




- **Universal Interventions:** common sense interventions for every patient all the time, regardless of risk status
- Rationale: ANYONE can fall, given the right circumstances
- Can also reduce risk for visitors and staff
- Focus largely on the physical environment, but also on how patients and staff interact

Common Universal Interventions


- Bed in low position
- Call light and personal belongings within reach
- Declutter environment
- Floor clean and dry
- Handrails in bathroom, hallways, etc.
- Locked wheels on hospital bed and wheelchair
- Night lights/supplemental lighting
- Non-slip, well-fitting footwear
- Patient/family education
- Purposeful hourly rounding
- Top bedrails up



Linking Targeted Interventions to Risk Factors



-  Cognitive or Emotional Impairments
-  Difficulty with Mobility or Activities of Daily Living (ADLs)
-  Medications
-  Risk of Injury
-  Sensory Impairment
-  Toileting Needs



Linking Targeted Interventions to Risk Factors



Cognitive or Emotional Impairments

- Bed and/or chair alarm
- Delirium prevention or mitigation
- Medication review by pharmacy
- Patient/family education
- Patient placed close to nurses' station
- Purposeful hourly rounding
- Sitter
- Supervised mobility and/or activities of daily living
- Supervised toileting
- Video monitoring





Linking Targeted Interventions to Risk Factors



Difficulty with Mobility or Activities of Daily Living (ADLs)

- Assistive devices/equipment
- Documentation of mobility/ADL assistance
- Gait/transfer belt
- Medication review by pharmacy
- Non-slip, well-fitting footwear
- Occupational therapy evaluation
- Pain management
- Patient/family education
- Physical therapy evaluation
- Seating assessment
- Supervised mobility and/or ADLs
- Supervised toileting





Linking Targeted Interventions to Risk Factors



Medications

- Medication review by pharmacy
- Orthostatic blood pressure monitoring





Linking Targeted Interventions to Risk Factors



Risk of Injury

- Bed in low position
- Bedside floor mats
- Hip protectors
- Medication review by pharmacy
- Supervised toileting




Linking Targeted Interventions to Risk Factors



Sensory Impairment

- Patient/family education
- Hearing aids
- Interventions to address difficulty with mobility or activities of daily living
- Night lights/supplemental lighting
- Occupational therapy evaluation
- Physical therapy evaluation
- Vision correction



Linking Targeted Interventions to Risk Factors



Toileting Needs

- Assistive devices/equipment
- Call light and personal belongings within reach
- Interventions to address difficulty with mobility or activities of daily living
- Medication review by pharmacy
- Occupational therapy evaluation
- Physical therapy evaluation
- Purposeful hourly rounding
- Supervised toileting



Other common (and common-sense) interventions for patients identified at risk for falls:

- Visual identification (e.g. bracelet, signage, sock color)
- Handoff tool to use between staff



What does the research say about the efficacy of our interventions for hospitalized patients?

- Mostly inconclusive and/or weak evidence for several:
 - Exercise
 - Medication review
 - ID bracelets
 - Low beds
 - Multifactorial interventions (evidence stronger for subacute vs. acute)
 - Patient education
 - Sitters
 - Rounding
 - Non-slip socks
- Cameron ID, Dyer SM, Panagoda CE, Murray GR, Hill KD, Cumming RG, Kerse N. Interventions for preventing falls in older people in care facilities and hospitals. *Cochrane Database of Systematic Reviews* 2018, Issue 9. Art. No.: CD005465.
<https://www.cochranelibrary.com/cdsr/doi/10.1002/14651858.CD005465.pub4/epdf/full>
- LeLaurin JH, Shorr RI. Preventing Falls in Hospitalized Patients: State of the Science. *Clin Geriatr Med*. 2019;35(2):273-283.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6446937/pdf/nihms-1519397.pdf>

Why is the research inconclusive and/or weak for so many of our interventions for hospitalized patients?

- Quality of study design (randomized controlled trials vs. quality improvement case reports)
- Ethics of control groups
- Confounding variables (patient factors, staff factors, organizational factors, etc.)

LeLaurin JH, Shorr RI. Preventing Falls in Hospitalized Patients: State of the Science. *Clin Geriatr Med.* 2019;35(2):273-283.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6446937/pdf/nihms-1519397.pdf>


Should we stop these interventions in the absence of strong research? Not necessarily....

Keep an eye out for new strong evidence that something doesn't work (or is even harmful). Be willing to change!

Remember that **Evidence-Based Practice** includes the integration of

- the best available evidence
- clinical expertise
- and patient values and preferences

to support decisions related to patient and policy decision-making.



Collaborative Member Sharing and Discussion

1. What are you currently doing to link interventions to patient risk factors?
2. What is working well?
3. Are there things you have tried that didn't work well? What did you learn?



Assistance is an email away!

- Contact us for more information about:
 - Fall risk reduction best practices: Dawn (dvenema@unmc.edu)
 - KNOW Falls and organizational learning (RedCAP): Anne (askinner@unmc.edu)
 - Team performance, implementation challenges: Vicki (victoria.kennel@unmc.edu)
 - General questions or not sure?: CAPTURE.Falls@unmc.edu



REMINDERS

1. Future Collaborative Calls/Educational Opportunities:
 - October 27, 2020; 2:00-2:30pm CST
 - Topic – TBA

2. Looking for fall risk reduction resources?

Click here: <https://www.unmc.edu/patient-safety/capturefalls/index.html>

Still can't find what you are looking for? Let us know what we are missing!

CAPTURE

Collaboration and Proactive Teamwork Used to Reduce

Falls