

Air and Surface Sampling in a Mead Home

September, 2021

Sampling by Chandran Achutan, Ph.D.

Eleanor G. Rogan, PhD
Professor and Chair
College of Public Health
University of Nebraska Medical Center

June 16, 2022 Mead Townhall Meeting

Table 1. Levels of neonicotinoids in air (mg/m³) at a resident's home in Mead, NE				
Pollutant	Outside	Inside		
6-chloronicotinic acid	Not detected	0.37		
Clothianidin	121.23	59.08		
Imidacloprid	0.62	103.18		
Imidacloprid desnitro	Not detected	2.67		
Imidacloprid urea	Not detected	2.67		
Thiacloprid	3.69	Not detected		
Thiamethoxam	14.46	7.59		



Table 2. Levels of neon	icotinoids (nanogr	am/gram) inside and	outside a residen	t's home in Mead, NE
Pollutant	Top of Cabinet	Entry Door	Porch Wall	Field Blank
Acetamiprid	0.59	Not detected	Not detected	Not detected
Azoxystrobin	0.11	0.33	2.90	0.06
Clothianidin	12.29	1.52	8.57	Not detected
Dinotefuran	0.66	Not detected	Not detected	Not detected
Imidacloprid	407.59	8.18	0.26	1.13
Imidacloprid desnitro	9.61	0.22	0.08	Not detected
Imidacloprid olefin	4.56	Not detected	Not detected	Not detected
Imidacloprid urea	8.89	0.19	Not detected	Not detected
Metalaxyl	Not detected	Not detected	0.13	Not detected
Pyraclostrobin	0.02	Not detected	1.45	Not detected
Thiacloprid	Not detected	Not detected	Not detected	0.04
Thiamethoxam	1.14	0.44	0.56	Not detected
Thiamethoxam urea	0.36	0.30	0.36	Not detected
Trifloxystrobin	Not detected	Not detected	0.26	Not detected





